



Maretti Lighting  
Bolderweg 7

1332 AX Almere  
the Netherlands

T +31 (0) 36 532 66 12

E info@maretti.com  
W www.maretti.com

Maretti Lighting is well-known in the World of interior design. In businesses, homes, store chains, and hospitality facilities all over the world, Maretti is unmistakable present with its project lighting that does more than just provide light. We make lighting an essential part of the interior. Maretti stands for stylish top quality and trendsetting design, modern, timeless and most of all, original.

Maretti Lighting works with all the top brands in the lighting industry, but we are especially notable for our own large product line and introduce our own brand name "Maretti". Our production team distinguishes itself time and time again with unique innovations from our own atelier and therefore our projects exude an entirely unique identity.

© Copyright Maretti Projectverlichting.

Our IM was made with the greatest of care. Nevertheless, the colours displayed in the IM may differ slightly from the real colours because of the printing process. Colour, size and range are subject to change. Nothing from this IM may be copied, reproduced and/or published by print, photocopy or in any other way without Maretti Lighting's written permission. All product and design copyrights belong to Maretti Lighting.

#### GUARANTEE TERMS AND CONDITIONS

The other party should inspect the delivered items immediately upon receipt with regard to its soundness. Entitlements to repair or replacement only exist if the other party

- In the case of visible defects, informs MPV of them immediately.

- In the case of defects that are not visible, informs MPV in writing of the defects, within 2 working days after the day the defects were found, or in all reason could have been found and furthermore demonstrates that the MPV instructions for use, maintenance and operation were followed, whilst the defects are not the consequence of normal wear and tear, misuse, negligence, accident, exceeding the limits prescribed by the MPV or by the legal safety regulations, or, in the case of a repair or change without MPV's consent or the consent of its recognised repairer, there will be no entitlement to repairs or replacement. The parts that have to be replaced must be made available free of charge to MPV. Noncompliance by the other party to one or more of its obligations will release MPV of all its guarantee obligations. In the case of assembly of the other party's own products by Maretti, MPV will release itself from all guarantee stipulations.

Moreover, our general delivery terms and conditions are applicable. These can be obtained from Maretti or can be downloaded from [www.maretti.com](http://www.maretti.com)

The installation must be done by a competent installer. Maretti recommends that your (outside) lighting and fixtures are inspected and maintained annually.

D: Für Garantiebedingungen bitte lesen Sie unsere Webseite  
E: Consulte nuestro sitio web para los condiciones de garantía  
FR: Consultez notre site web pour les conditions de garantie  
NL: Voor garantievoorwaarden zie onze website

[www.maretti.com](http://www.maretti.com)  
[www.maretti.com](http://www.maretti.com)  
[www.maretti.com](http://www.maretti.com)  
[www.maretti.com](http://www.maretti.com)

RINGEN IN 6 MATEN  
13.1679.03 Ø1400mm  
13.1680.03 Ø1200mm  
13.1681.03 Ø1000mm  
13.1682.03 Ø800mm  
13.1683.03 Ø600mm  
13.1684.03 Ø400mm

PLAFONDPLATEN IN 3 MATEN  
13.1691.03 Ø250mm, 3-L  
13.1694.03 Ø300mm, 6-L  
13.1696.03 Ø300mm, 11-L

## LUXURY RING PENDANT KIT INSTRUCTIONS

1/5



**LET OPI**  
Vanwege het reflecterende materiaal van het armatuur, kan de kleur op het beeld afwijken van de realiteit. U kunt het armatuur bezichtigen in onze showroom.

**NOTE!**  
Due to the reflective material of the fixture, the displayed colour may vary from the actual product. You are welcome to visit us and view the fixture in our showroom.

BRONZE



**BELANGRIJKE OPMERKING!:**

Max. gewicht voor plafondplaat is 40Kg

**IMPORTANTE NOTE!:**

Max. weight for ceiling plate is 40Kg

**Het is raadzaam om professionele hulp in te schakelen voor installatie, reparatie en onderhoud.**

**It is advisable to seek professional help before installation, repair and maintenance.**

|  |         |      |           |  |        |  |                               |  |         |
|--|---------|------|-----------|--|--------|--|-------------------------------|--|---------|
|  | 12V LED | IP20 | IP RATING |  | INDOOR |  | EXCL. DRIVER (SEPARATE ORDER) |  | CE MARK |
|--|---------|------|-----------|--|--------|--|-------------------------------|--|---------|

**ZIE ANDERE KANT VOOR INSTRUCTIES / SEE OTHER SIDE FOR INSTRUCTIONS**

RINGEN IN 6 MATEN  
13.1679.03 Ø1400mm  
13.1680.03 Ø1200mm  
13.1681.03 Ø1000mm  
13.1682.03 Ø800mm  
13.1683.03 Ø600mm  
13.1684.03 Ø400mm


PLAFONDPLATEN IN 3 MATEN  
13.1691.03 Ø250mm, 3-L  
13.1694.03 Ø300mm, 6-L  
13.1696.03 Ø300mm, 11-L

## LUXURY RING PENDANT KIT INSTRUCTIONS

Het is raadzaam om professionele hulp in te schakelen voor installatie, reparatie en onderhoud.  
It is advisable to seek professional help before installation, repair and maintenance.

2/5

KLEUR: BRONS  
COLOUR: BRONZE



**MATEN MET 6 RINGEN / MEASUREMENTS WITH 6 RINGS**

Plafondplaten in 3 maten  
Ceiling plate in 3 sizes

| A            | B            | C             |
|--------------|--------------|---------------|
| Ø250mm       | Ø300mm       | Ø300mm        |
| Max.3-ringen | Max.6-ringen | Max.11-ringen |
| Max.3-rings  | Max.6-rings  | Max.11-rings  |

3-RINGS

6-RINGS

11-RINGS

Replaceable (LED only) light source by a professional

Replaceable control gear by a professional

| A) PLAFONDPLAAT Ø250MM (MAX.3 RINGEN) / CEILING PLATE Ø 250MM (MAX, 3 RINGS)                    |                                                                                                     |                                  |                               |                                |            |
|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|----------------------------------|-------------------------------|--------------------------------|------------|
| A                                                                                               | Afmeting / Size<br>Ø250mm                                                                           | Kleur / Colour<br>Brons / Bronze | Driver<br>Nee / No            | Art. nr.<br>13.1691.03         |            |
| B) PLAFONDPLAAT Ø300MM (MAX.6 RINGEN) / CEILING PLATE Ø 300MM (MAX, 6 RINGS)                    |                                                                                                     |                                  |                               |                                |            |
| B                                                                                               | Afmeting / Size<br>Ø300mm                                                                           | Kleur / Colour<br>Brons / Bronze | Driver<br>Nee / No            | Art. nr.<br>13.1694.03         |            |
| C) PLAFONDPLAAT Ø300MM (MAX.11 RINGEN) / CEILING PLATE Ø 300MM (MAX. 11 RINGS)                  |                                                                                                     |                                  |                               |                                |            |
| C                                                                                               | Afmeting / Size<br>Ø300mm                                                                           | Kleur / Colour<br>Brons / Bronze | Driver<br>Nee / No            | Art. nr.<br>13.1695.03         |            |
| D) AFDEKKAPJE Ø45MM (MAX.1 RING) (3 nodig voor 1 ring) / COVER CAP Ø 45MM (3 needed for 1 ring) |                                                                                                     |                                  |                               |                                |            |
| D                                                                                               | Afmeting / Size<br>Ø45mm                                                                            | Kleur / Colour<br>Brons / Bronze | Driver<br>Nee / No            | Art. nr.<br>13.1686.03         |            |
| RINGEN IN 6 MATEN / RINGS IN 6 SIZES                                                            |                                                                                                     |                                  |                               |                                |            |
|                                                                                                 | Afmeting / Size                                                                                     | Kleur / Colour                   | Kelvin                        | Lumen                          | Art. nr.   |
| 1                                                                                               | 12V   11W   LED (5M kabel/cable) Ø400mm                                                             | Brons / Bronze                   | 2700K                         | 935 lm                         | 13.1684.13 |
| 2                                                                                               | 12V   17W   LED (5M kabel/cable) Ø600mm                                                             | Brons / Bronze                   | 2700K                         | 1530 lm                        | 13.1683.13 |
| 3                                                                                               | 12V   23W   LED (5M kabel/cable) Ø800mm                                                             | Brons / Bronze                   | 2700K                         | 1955 lm                        | 13.1682.13 |
| 4                                                                                               | 12V   28W   LED (5M kabel/cable) Ø1000mm                                                            | Brons / Bronze                   | 2700K                         | 2380 lm                        | 13.1681.13 |
| 5                                                                                               | 12V   34W   LED (5M kabel/cable) Ø1200mm                                                            | Brons / Bronze                   | 2700K                         | 2890 lm                        | 13.1680.13 |
| 6                                                                                               | 12V   40W   LED (5M kabel/cable) Ø1400mm                                                            | Brons / Bronze                   | 2700K                         | 3400 lm                        | 13.1679.13 |
| PLAFONDPLATEN / CEILING PLATES                                                                  |                                                                                                     |                                  |                               |                                |            |
|                                                                                                 |                                                                                                     | 13.1691.03 3-L<br>BASE Ø250mm    | 13.1694.03 6-L<br>BASE Ø300mm | 13.1695.03 11-L<br>BASE Ø300mm |            |
| DRIVERS                                                                                         | 16.9754.1207 DRIVER 12VDC 75W fase aan/afsnij dimbaar                                               | 1                                | 2                             | 2                              |            |
|                                                                                                 | 16.9754.1212 DRIVER 12VDC 120W fase aan/afsnij dimbaar                                              | 1                                | 2                             | 2                              |            |
|                                                                                                 | 16.9754.1215 DRIVER 12VDC 150W fase aan/afsnij dimbaar                                              | -                                | 2                             | 2                              |            |
|                                                                                                 | 16.9402.1210.00 DRIVER DALI SUN 12VDC 96W 1-4CH                                                     | 1                                | 1                             | 1                              |            |
|                                                                                                 | 16.9402.1220.00 DRIVER DALI SUN 12VDC 200W 1-4CH                                                    | -                                | 1                             | 1                              |            |
|                                                                                                 | 16.9402.1210.00 DRIVER DALI SUN 12VDC 96W 1-4CH<br>16.9402.1220.00 DRIVER DALI SUN 12VDC 200W 1-4CH | -                                | 200W+96W<br>is ook mogelijk   | 200W+96W<br>is ook mogelijk    |            |



### LET OP: Volg en bewaar deze gebruiksaanwijzing.

- Zorg ervoor dat de netspanning uitgeschakeld is voor installatie, reparatie of onderhoud. (Installatie, reparatie en onderhoud uitsluitend door gekwalificeerde personen).
- Voor reparatie of onderhoud uitsluitend originele delen gebruiken. Probeer het product niet zelf te demonteren en te repareren, onjuiste reparaties kunnen het product beschadigen en elektrische schokken veroorzaken wat tot ernstig letsel kan leiden.
- Gebruik het armatuur alleen binnenshuis.
- Het armatuur niet in vochtige of natte ruimte gebruiken.
- Uitsluitend op het etiket aangegeven lichtbronnen gebruiken.

De fabrikant aanvaardt geen enkele aansprakelijkheid voor letsel of schade als gevolg van een verkeerde toepassing van het armatuur.

De fabrikant aanvaardt geen garantie in geval van het niet behandelen van de lampen volgens de richtlijnen van de fabrikant.

Als er schade aan elektrische onderdelen te vinden zijn, vraag dan een elektricien om het te vervangen.

### Onderhoud is behoud:

Een goede instandhouding van het armatuur is sterk afhankelijk van omgevings- en onderhoudsfactoren. Hierop kunnen wij geen invloed uitoefenen.

- Schakel voor de zekerheid de elektriciteit uit!

- Gebruik geen agressieve, schurende of chemische schoonmaakmiddelen.

### NOTE: Follow and keep this instructions manual.

- Make sure that the mains voltage is switched off for installation, reparation or maintenance. (Installation, reparation and maintenance only by qualified persons).
- Use only original parts for repairs or maintenance. Never attempt to disassemble, repair or alter the product in any way, improper repairs could damage the product causing electrical shocks which may cause serious injury.
- Use the fixture only indoors.
- Don't use the fixture in humid or wet areas.
- Use only suitable light sources indicated on the label.

The manufacturer accepts no liability for any injuries or damages resulting from the incorrect use or installation of the fixture.

Any operation performed on the fixture that is not in accordance with instructions will void manufacturer's warranty.

If you find any damage to the electrical parts, please ask a qualified electrician to replace it.

### Maintenance is preservation:

A good preservation of the fixture is highly dependent on environmental factors and maintenance. We cannot exercise any influence on this.

- Make sure that the mains voltage is switched off before you begin.

- Do not use aggressive, abrasive or chemical cleaners.

"No rights can be derived from the information provided on this Instruction Manual. Information on the Instruction Manual has been compiled with the utmost care and is updated on a continuous basis. Nevertheless Maretti cannot guarantee that all information is free of errors, complete or fully up to date."

**RINGEN IN 6 MATEN**  
 13.1679.03 Ø1400mm  
 13.1680.03 Ø1200mm  
 13.1681.03 Ø1000mm  
 13.1682.03 Ø800mm  
 13.1683.03 Ø600mm  
 13.1684.03 Ø400mm

**PLAFONDPLATEN IN 3 MATEN**  
 13.1691.03 Ø250mm, 3-L  
 13.1694.03 Ø300mm, 6-L  
 13.1696.03 Ø300mm, 11-L

## LUXURY RING PENDANT KIT INSTRUCTIONS

3/5

Het is raadzaam om professionele hulp in te schakelen voor installatie, reparatie en onderhoud.  
 It is advisable to seek professional help before installation, repair and maintenance.

### UITLEG MET AFDEKKAPJES / EXPLANATION WITH COVER CAPS




Schakel altijd eerst de stroom uit voordat u installatie-, onderhoud of reparatiewerkzaamheden uitvoert.

Always switch off the mains voltage before carrying out installation, maintenance and repair work.





Gebruik handschoenen om vingerafdrukken te voorkomen.  
 Use gloves to avoid fingerprints.




#### AFDEKKAPJE MET VOEDING

##### Kabel strippen / Wire stripping



#### AFDEKKAPJE MET STAALDRAAD



#### LET OP: Volg en bewaar deze gebruiksaanwijzing.

- Zorg ervoor dat de netspanning uitgeschakeld is voor installatie, reparatie of onderhoud. (Installatie, reparatie en onderhoud uitsluitend door gekwalificeerde personen).
- Voor reparatie of onderhoud uitsluitend originele delen gebruiken. Probeer het product niet zelf te demonteren en te repareren, onjuiste reparaties kunnen het product beschadigen en elektrische schokken veroorzaken wat tot ernstig letsel kan leiden.
- Gebruik het armatuur alleen binnenshuis.
- Het armatuur niet in vochtige of natte ruimte gebruiken.
- Uitsluitend op het etiket aangegeven lichtbronnen gebruiken.

De fabrikant aanvaardt geen enkele aansprakelijkheid voor letsel of schade als gevolg van een verkeerde toepassing van het armatuur.

De fabrikant aanvaardt geen garantie in geval van het niet behandelen van de lampen volgens de richtlijnen van de fabrikant.

Als er schade aan elektrische onderdelen te vinden zijn, vraag dan een elektricien om het te vervangen.

#### Onderhoud is behoud:

Een goede instandhouding van het armatuur is sterk afhankelijk van omgevings- en onderhoudsfactoren. Hierop kunnen wij geen invloed uitoefenen.

- Schakel voor de zekerheid de elektriciteit uit!

- Gebruik geen agressieve, schurende of chemische schoonmaakmiddelen.

#### NOTE: Follow and keep this instructions manual.

- Make sure that the mains voltage is switched off for installation, repair or maintenance. (Installation, repair and maintenance only by qualified persons).
- Use only original parts for repairs or maintenance. Never attempt to disassemble, repair or alter the product in any way, improper repairs could damage the product causing electrical shocks which may cause serious injury.
- Use the fixture only indoors.
- Don't use the fixture in humid or wet areas.
- Use only suitable light sources indicated on the label.

The manufacturer accepts no liability for any injuries or damages resulting from the incorrect use or installation of the fixture.

Any operation performed on the fixture that is not in accordance with instructions will void manufacturer's warranty.

If you find any damage to the electrical parts, please ask a qualified electrician to replace it.

#### Maintenance is preservation:

A good preservation of the fixture is highly dependent on environmental factors and maintenance. We cannot exercise any influence on this.

- Make sure that the mains voltage is switched off before you begin.

- Do not use aggressive, abrasive or chemical cleaners.

"No rights can be derived from the information provided on this Instruction Manual. Information on the Instruction Manual has been compiled with the utmost care and is updated on a continuous basis. Nevertheless Maretti cannot guarantee that all information is free of errors, complete or fully up to date."

**RINGEN IN 6 MATEN**  
 13.1679.03 Ø1400mm  
 13.1680.03 Ø1200mm  
 13.1681.03 Ø1000mm  
 13.1682.03 Ø800mm  
 13.1683.03 Ø600mm  
 13.1684.03 Ø400mm

**PLAFONDPLATEN IN 3 MATEN**  
 13.1691.03 Ø250mm, 3-L  
 13.1694.03 Ø300mm, 6-L  
 13.1696.03 Ø300mm, 11-L

## LUXURY RING PENDANT KIT INSTRUCTIONS

4/5

Het is raadzaam om professionele hulp in te schakelen voor installatie, reparatie en onderhoud.  
 It is advisable to seek professional help before installation, repair and maintenance.

UITLEG MET PLAFONDPLAAT / EXPLANATION WITH CEILING PLATE

**UIT OFF**

Schakel altijd eerst de stroom uit voordat u installatie-, onderhoud of reparatiewerkzaamheden uitvoert.

Always switch off the mains voltage before carrying out installation, maintenance and repair work.

**Gebruik handschoenen om vingerafdrukken te voorkomen.**

Use gloves to avoid fingerprints.

Verwijder de afdekkappen  
Remove the cover caps

**Ringen montage: van klein naar groot en van onder naar boven monteren. Rings assembly: from small to large and from bottom to top.**

**A 13.1691.03** (max.3 ringen / max.3 rings)  
Plafondplaat / Ceiling plate Ø250mm

**B 13.1694.03** (max.6 ringen / max.6 rings)  
Plafondplaat / Ceiling plate Ø300mm

**C 13.1695.03** (max.11 ringen / max.11 rings)  
Plafondplaat / Ceiling plate Ø300mm

**VOEDINGSKABELS**

- Elke ring heeft een voedingskabel
- Voedingskabels strippen (uitleg op pagina 3)
- Alle +12V draden van alle ringen bij elkaar draaien
- Alle -12V draden van alle ringen bij elkaar draaien
- De +12V en de -12V draden met behulp van een kroonsteen op een driver aansluiten (zie tekening hieronder).

**SUPPLY CABLES**

- Each ring has a supply cable
- Stripping power cables (explanation on page 3)
- Twist all +12V wires of all rings together
- Twist all -12V wires of all rings together
- Connect the +12V and -12V wires to a driver using a terminal block (see drawing below).

**L (Zwart)**  
**N (Blauw)**

Zie uitgebreide tekening op de volgende pagina / See detailed drawing on the next page



**LET OP:** Volg en bewaar deze gebruiksaanwijzing.

- Zorg ervoor dat de netspanning uitgeschakeld is voor installatie, reparatie of onderhoud. (Installatie, reparatie en onderhoud uitsluitend door gekwalificeerde personen).
- Voor reparatie of onderhoud uitsluitend originele delen gebruiken. Probeer het product niet zelf te demonteren en te repareren, onjuiste reparaties kunnen het product beschadigen en elektrische schokken veroorzaken wat tot ernstig letsel kan leiden.
- Gebruik het armatuur alleen binnenshuis.
- Het armatuur niet in vochtige of natte ruimte gebruiken.
- Uitsluitend op het etiket aangegeven lichtbronnen gebruiken.

De fabrikant aanvaardt geen enkele aansprakelijkheid voor letsel of schade als gevolg van een verkeerde toepassing van het armatuur.  
 De fabrikant aanvaardt geen garantie in geval van het niet behandelen van de lampen volgens de richtlijnen van de fabrikant.  
 Als er schade aan elektrische onderdelen te vinden zijn, vraag dan een elektricien om het te vervangen.

**Onderhoud is behoud:**

- Een goede instandhouding van het armatuur is sterk afhankelijk van omgevings- en onderhoudsfactoren. Hierop kunnen wij geen invloed uitoefenen.
- Schakel voor de zekerheid de elektriciteit uit!
- Gebruik geen agressieve, schurende of chemische schoonmaakmiddelen.

**NOTE:** Follow and keep this instructions manual.

- Make sure that the mains voltage is switched off for installation, repair or maintenance. (Installation, repair and maintenance only by qualified persons).
- Use only original parts for repairs or maintenance. Never attempt to disassemble, repair or alter the product in any way, improper repairs could damage the product causing electrical shocks which may cause serious injury.
- Use the fixture only indoors.
- Don't use the fixture in humid or wet areas.
- Use only suitable light sources indicated on the label.

The manufacturer accepts no liability for any injuries or damages resulting from the incorrect use or installation of the fixture.  
 Any operation performed on the fixture that is not in accordance with instructions will void manufacturer's warranty.  
 If you find any damage to the electrical parts, please ask a qualified electrician to replace it.

**Maintenance is preservation:**

- A good preservation of the fixture is highly dependent on environmental factors and maintenance. We cannot exercise any influence on this.
- Make sure that the mains voltage is switched off before you begin.
- Do not use aggressive, abrasive or chemical cleaners.

"No rights can be derived from the information provided on this Instruction Manual. Information on the Instruction Manual has been compiled with the utmost care and is updated on a continuous basis. Nevertheless Maretti cannot guarantee that all information is free of errors, complete or fully up to date."

**RINGEN IN 6 MATEN**  
 13.1679.03 Ø1400mm  
 13.1680.03 Ø1200mm  
 13.1681.03 Ø1000mm  
 13.1682.03 Ø800mm  
 13.1683.03 Ø600mm  
 13.1684.03 Ø400mm

**PLAFONDPLATEN IN 3 MATEN**  
 13.1691.03 Ø250mm, 3-L  
 13.1694.03 Ø300mm, 6-L  
 13.1696.03 Ø300mm, 11-L

## LUXURY RING PENDANT KIT INSTRUCTIONS

5/5

Het is raadzaam om professionele hulp in te schakelen voor installatie, reparatie en onderhoud.  
 It is advisable to seek professional help before installation, repair and maintenance.

UITLEG MET PLAFONDPLAAT / EXPLANATION WITH CEILING PLATE

Schakel altijd eerst de stroom uit voordat u installatie-, onderhoud of reparatiewerkzaamheden uitvoert.

Always switch off the mains voltage before carrying out installation, maintenance and repair work.

Gebruik handschoenen om vingerafdrukken te voorkomen.  
Use gloves to avoid fingerprints.

Ringen montage: van klein naar groot en van onder naar boven monteren. Rings assembly: from small to large and from bottom to top.

**A 13.1691.03** (max.3 ringen / max.3 rings)  
Plafondplaat / Ceiling plate Ø250mm

**B 13.1694.03** (max.6 ringen / max.6 rings)  
Plafondplaat / Ceiling plate Ø300mm

**C 13.1695.03** (max.11 ringen / max.11 rings)  
Plafondplaat / Ceiling plate Ø300mm



**LET OP:** Volg en bewaar deze gebruiksaanwijzing.

- Zorg ervoor dat de netspanning uitgeschakeld is voor installatie, reparatie of onderhoud. (Installatie, reparatie en onderhoud uitsluitend door gekwalificeerde personen).
- Voor reparatie of onderhoud uitsluitend originele delen gebruiken. Probeer het product niet zelf te demonteren en te repareren, onjuiste reparaties kunnen het product beschadigen en elektrische schokken veroorzaken wat tot ernstig letsel kan leiden.
- Gebruik het armatuur alleen binnenshuis.
- Het armatuur niet in vochtige of natte ruimte gebruiken.
- Uitsluitend op het etiket aangegeven lichtbronnen gebruiken.

De fabrikant aanvaardt geen enkele aansprakelijkheid voor letsel of schade als gevolg van een verkeerde toepassing van het armatuur.

De fabrikant aanvaardt geen garantie in geval van het niet behandelen van de lampen volgens de richtlijnen van de fabrikant.

Als er schade aan elektrische onderdelen te vinden zijn, vraag dan een elektricien om het te vervangen.

**Onderhoud is behoud:**

Een goede instandhouding van het armatuur is sterk afhankelijk van omgevings- en onderhoudsfactoren. Hierop kunnen wij geen invloed uitoefenen.

- Schakel voor de zekerheid de elektriciteit uit!

- Gebruik geen agressieve, schurende of chemische schoonmaakmiddelen.

**NOTE:** Follow and keep this instructions manual.

- Make sure that the mains voltage is switched off for installation, repair or maintenance. (Installation, repair and maintenance only by qualified persons).
- Use only original parts for repairs or maintenance. Never attempt to disassemble, repair or alter the product in any way, improper repairs could damage the product causing electrical shocks which may cause serious injury.
- Use the fixture only indoors.
- Don't use the fixture in humid or wet areas.
- Use only suitable light sources indicated on the label.

The manufacturer accepts no liability for any injuries or damages resulting from the incorrect use or installation of the fixture.

Any operation performed on the fixture that is not in accordance with instructions will void manufacturer's warranty.

If you find any damage to the electrical parts, please ask a qualified electrician to replace it.

**Maintenance is preservation:**

A good preservation of the fixture is highly dependent on environmental factors and maintenance. We cannot exercise any influence on this.

- Make sure that the mains voltage is switched off before you begin.

- Do not use aggressive, abrasive or chemical cleaners.

"No rights can be derived from the information provided on this Instruction Manual. Information on the Instruction Manual has been compiled with the utmost care and is updated on a continuous basis. Nevertheless Maretti cannot guarantee that all information is free of errors, complete or fully up to date."