



MARETTI LIGHTING



Maretti Lighting
Bolderweg 7

1332 AX Almere
the Netherlands

T +31 (0) 36 532 66 12

E info@maretti.com
W www.maretti.com

Maretti Lighting is well-known in the World of interior design. In businesses, homes, store chains, and hospitality facilities all over the world, Maretti is unmistakable present with its project lighting that does more than just provide light. We make lighting an essential part of the interior. Maretti stands for stylish top quality and trendsetting design, modern, timeless and most of all, original.

Maretti Lighting works with all the top brands in the lighting industry, but we are especially notable for our own large product line and introduce our own brand name "Maretti". Our production team distinguishes itself time and time again with unique innovations from our own atelier and therefore our projects exude an entirely unique identity.

© Copyright Maretti Projectverlichting.

Our IM was made with the greatest of care. Nevertheless, the colours displayed in the IM may differ slightly from the real colours because of the printing process. Colour, size and range are subject to change. Nothing from this IM may be copied, reproduced and/or published by print, photocopy or in any other way without Maretti Lighting's written permission. All product and design copyrights belong to Maretti Lighting.

GUARANTEE TERMS AND CONDITIONS

The other party should inspect the delivered items immediately upon receipt with regard to its soundness. Entitlements to repair or replacement only exist if the other party

- In the case of visible defects, informs MPV of them immediately.

- In the case of defects that are not visible, informs MPV in writing of the defects, within 2 working days after the day the defects were found, or in all reason could have been found and furthermore demonstrates that the MPV instructions for use, maintenance and operation were followed, whilst the defects are not the consequence of normal wear and tear, misuse, negligence, accident, exceeding the limits prescribed by the MPV or by the legal safety regulations, or, in the case of a repair or change without MPV's consent or the consent of its recognised repairer, there will be no entitlement to repairs or replacement. The parts that have to be replaced must be made available free of charge to MPV. Noncompliance by the other party to one or more of its obligations will release MPV of all its guarantee obligations. In the case of assembly of the other party's own products by Maretti, MPV will release itself from all guarantee stipulations.

Moreover, our general delivery terms and conditions are applicable. These can be obtained from Maretti or can be downloaded from www.maretti.com

The installation must be done by a competent installer. Maretti recommends that your (outside) lighting and fixtures are inspected and maintained annually.

D: Für Garantiebedingungen bitte lesen Sie unsere Webseite www.maretti.com
E: Consulte nuestro sitio web para los condiciones de garantía www.maretti.com
FR: Consultez notre site web pour les conditions de garantie www.maretti.com
NL: Voor garantievoorwaarden zie onze website www.maretti.com

- 13.7005.04 BLACK OVAL 13-L
- 13.7009.04 BLACK OVAL 25-L
- 13.6992.04 BLACK SQUARE 9-L
- 13.6996.04 BLACK ROUND 16-L
- 13.7000.04 BLACK ROUND 16-L

PARADISO PENDANT SERIES

13-Lichts random



13.7005.04 Black base / Black lampholder / *smoked glass

25-Lichts random



13.7009.04 Black base / Black lampholder / *smoked glass

9-Lichts random



13.6992.04 Black base / Chrome lampholder / *smoked glass

16-Lichts swirl



16-Lichts swirl

13.6996.04 Black base / Black lampholder / *smoked glass

16-Lichts random



16-Lichts random

13.7000.04 Black base / Black lampholder / *smoked glass

DE ONDERSTAANDE COMBINATIES ZIJN OP AANVRAAG VERKRIJGBAAR
THE BELOW COMBINATIONS ARE AVAILABLE ON REQUEST



BLACK BASE


04

230V	VOLTAGE	G9	SOCKET	IP20	IP RATING		
10W	MAX. WATTAGE PER LIGHTSOURCE		INDOOR		CE MARK		

- 13.7005.04 BLACK OVAL 13-L
- 13.7009.04 BLACK OVAL 25-L
- 13.6992.04 BLACK SQUARE 9-L
- 13.6996.04 BLACK ROUND 16-L
- 13.7000.04 BLACK ROUND 16-L

PARADISO PENDANT SERIES

MOUNTING INFO.



CEILING BASE

ART.NR.	SHAPE	LIGHT	COLOUR
70.5250.04	OVAL	13-L	BLACK
70.5204.04	OVAL	25-L	BLACK
70.5160.04	SQUARE	9-L	BLACK
70.5174.04	ROUND	16-L	BLACK

PARADISO PENDANT SET

COLOUR	2 meters	3,5 meters
CHROME	70.5860.02	70.5863.02
BLACK	70.5860.04	70.5863.04
BRASS	70.5860.11	70.5863.11


GLASS OPTION

SIZE Ø:	OPAL	SMOKED
Ø150mm	80.1055.99	80.1055.98
Ø170mm	80.1060.99	80.1060.98
Ø200mm	80.1065.99	80.1065.98
Ø250mm	80.1070.99	80.1070.98


LED LAMPS G9 / 230V SEPARATE ORDER

GLASS TYPE:	OPAL	SMOKED
ART.NR.	21.8256.82	21.8251.82
WATTAGE	3,5 W	1,5 W
KELVIN	2700 K	2200 K
LUMEN	330 lm	100 lm
CRI	80 Ra	90 Ra


13-Lichts random



25-Lichts random



9-Lichts random



***glass**

L	Ø250	2x
M	Ø200	3x
S	Ø170	4x
XS	Ø150	4x

***glass**

L	Ø250	4x
M	Ø200	6x
S	Ø170	7x
XS	Ø150	8x

***glass**

L	Ø250	1x
M	Ø200	2x
S	Ø170	3x
XS	Ø150	3x

13.7005.04 Black base / Black lampholder / *smoked glass

13.7009.04 Black base / Black lampholder / *smoked glass

13.6992.04 Black base / Chrome lampholder / *smoked glass

1

Schakel altijd eerst de stroom uit voordat u installatie-, onderhouds- of reparatiewerkzaamheden uitvoert.

Always switch off the mains voltage before carrying out installation, maintenance and repair work.

3



a. Buig de 2 lipjes iets naar buiten.
b. Bepaal de lengte van elk snoer en draai trekontlasting handvast.

5

Bevestig de bak aan de montagebeugel d.m.v. de bijgeleverde siermoeren. Let op dat er geen bedrading uit de bak steekt!

7

16-Lichts swirl





***glass**

L	Ø250	2x
M	Ø200	4x
S	Ø170	5x
XS	Ø150	5x

13.6996.04 Black base / Black lampholder / *smoked glass

16-Lichts random



***glass**

L	Ø250	2x
M	Ø200	4x
S	Ø170	5x
XS	Ø150	5x

13.7000.04 Black base / Black lampholder / *smoked glass

2

Gebruik voor het type plafond de daarvoor bestemde bevestigingsmiddelen.

4

a. Sluit de bedrading aan op de klik-connect.
b. Sluit de 3-voudige stekker aan op het stroompunt en klik deze aan de bak.

6

Klik de G9 lichtbron in de lampholder en draai het glas erop.

7

Voorbeeld 13-Lichts Smoked glass



LET OP:
 - Volg en bewaar deze gebruiksaanwijzing.
 - Zorg ervoor dat de netspanning uitgeschakeld is voor installatie, reparatie of onderhoud. (Installatie, reparatie en onderhoud uitsluitend door gekwalificeerde personen).
 - Voor reparatie of onderhoud uitsluitend originele delen gebruiken.
 - Gebruik het armatuur alleen binnenshuis.
 - Het armatuur niet in vochtige of natte ruimte gebruiken.

De fabrikant aanvaardt geen enkele aansprakelijkheid voor letsel of schade als gevolg van een verkeerde toepassing van het armatuur.
 De fabrikant aanvaardt geen garantie in geval van het niet behandelen van de lampen volgens de richtlijnen van de fabrikant.
 Als er schade aan elektrische onderdelen te vinden zijn, vraag dan een elektricien om het te vervangen.

Onderhoud is behoud:
 Een goede instandhouding van het armatuur is sterk afhankelijk van omgevings- en onderhoudsfactoren. Hierop kunnen wij geen invloed uitoefenen.

- Schakel voor de zekerheid de elektriciteit uit!
- Gebruik geen bijtende, chemische of schurende schoonmaakmiddelen.

NOTE:
 - Follow and keep this instructions manual.
 - Make sure that the mains voltage is switched off for installation, repair or maintenance. (Installation, repair and maintenance only by qualified persons).
 - Use only original parts for repairs or maintenance.
 - Use the fixture only indoors.
 - Don't use the fixture in humid or wet areas.

The manufacturer accepts no liability for any injuries or damages resulting from the incorrect use or installation of the fixture.
 Any operation performed on the fixture that is not in accordance with instructions will void manufacturer's warranty.
 If you find any damage to the electrical parts, please ask a qualified electrician to replace it.

Maintenance is preservation:
 A good preservation of the fixture is highly dependent on environmental factors and maintenance. We cannot exercise any influence on this.

- Make sure that the mains voltage is switched off before you begin.
- Do not use strong, chemical or abrasive cleaners.

No rights can be derived from the information provided on this Instruction Manual. Information on the Instruction Manual has been compiled with the utmost care and is updated on a continuous basis. Nevertheless Maretti cannot guarantee that all information is free of errors, complete or fully up to date.

13.7005.04 BLACK OVAL 13-L 13.6996.04 BLACK ROUND 16-L
 13.7009.04 BLACK OVAL 25-L 13.7000.04 BLACK ROUND 16-L
 13.6992.04 BLACK SQUARE 9-L

PARADISO PENDANT SERIES

MEASUREMENTS

nr.	Length	Ø glass
1	880	M Ø200
2	1050	XS Ø150
3	545	S Ø170
4	1420	L Ø250
5	800	S Ø170
6	1160	M Ø200
7	1500	S Ø170
8	685	M Ø200
9	1265	XS Ø150
10	995	L Ø250
11	1330	XS Ø150
12	475	XS Ø150
13	740	S Ø170

13-Lights random
 13.7005.04 Black lampholder / *smoked glass

nr.	Length	Ø glass
1	1450	S Ø170
2	540	M Ø200
3	925	S Ø170
4	780	XS Ø150
5	1100	L Ø250
6	1300	XS Ø150
7	1500	M Ø200
8	430	XS Ø150
9	650	S Ø170

9-Lights random
 13.6992.04 Chrome lampholder / *smoked glass

nr.	Length	Ø glass
1	820	M Ø200
2	1130	XS Ø150
3	580	S Ø170
4	1325	L Ø250
5	700	S Ø170
6	990	M Ø200
7	900	XS Ø150
8	1395	XS Ø150
9	550	S Ø170
10	1135	L Ø250
11	610	M Ø200
12	935	XS Ø150
13	1500	S Ø170
14	730	M Ø200
15	1290	L Ø250
16	480	XS Ø150
17	660	S Ø170
18	1055	M Ø200
19	1340	XS Ø150
20	1440	XS Ø150
21	820	L Ø250
22	430	S Ø170
23	925	M Ø200
24	1250	XS Ø150
25	730	S Ø170

25-Lights random
 13.7009.04 Black lampholder / *smoked glass

nr.	Length	Ø glass
1	430	S Ø170
2	590	S Ø170
3	720	L Ø250
4	830	M Ø200
5	955	XS Ø150
6	1100	S Ø170
7	1230	XS Ø150
8	1390	M Ø200
9	1500	XS Ø150
10	1705	M Ø200
11	1830	XS Ø150
12	1960	S Ø170
13	2105	M Ø200
14	2250	XS Ø150
15	2350	S Ø170
16	2500	L Ø250

16-Lights swirl
 13.6996.04 Black lampholder / *smoked glass

nr.	Length	Ø glass
1	1570	XS Ø150
2	1040	XS Ø150
3	2245	XS Ø150
4	830	L Ø250
5	1825	XS Ø150
6	2075	M Ø200
7	1295	XS Ø150
8	2500	L Ø250
9	650	S Ø170
10	1140	S Ø170
11	1680	M Ø200
12	500	S Ø170
13	1425	M Ø200
14	1935	S Ø170
15	940	M Ø200
16	2345	S Ø170

16-Lights random
 13.7000.04 Black lampholder / *smoked glass



LET OP:
 - Volg en bewaar deze gebruiksaanwijzing.
 - Zorg ervoor dat de netspanning uitgeschakeld is voor installatie, reparatie of onderhoud. (Installatie, reparatie en onderhoud uitsluitend door gekwalificeerde personen).
 - Voor reparatie of onderhoud uitsluitend originele delen gebruiken.
 - Gebruik het armatuur alleen binnenshuis.
 - Het armatuur niet in vochtige of natte ruimte gebruiken.

De fabrikant aanvaardt geen enkele aansprakelijkheid voor letsel of schade als gevolg van een verkeerde toepassing van het armatuur.
 De fabrikant aanvaardt geen garantie in geval van het niet behandelen van de lampen volgens de richtlijnen van de fabrikant.
 Als er schade aan elektrische onderdelen te vinden zijn, vraag dan een elektricien om het te vervangen.

Onderhoud is behoud:
 Een goede instandhouding van het armatuur is sterk afhankelijk van omgevings- en onderhoudsfactoren. Hierop kunnen wij geen invloed uitoefenen.

- Schakel voor de zekerheid de elektriciteit uit!
- Gebruik geen bijtende, chemische of schurende schoonmaakmiddelen.

NOTE:
 - Follow and keep this instructions manual.
 - Make sure that the mains voltage is switched off for installation, repair or maintenance. (Installation, repair and maintenance only by qualified persons).
 - Use only original parts for repairs or maintenance.
 - Use the fixture only indoors.
 - Don't use the fixture in humid or wet areas.

The manufacturer accepts no liability for any injuries or damages resulting from the incorrect use or installation of the fixture.
 Any operation performed on the fixture that is not in accordance with instructions will void manufacturer's warranty.
 If you find any damage to the electrical parts, please ask a qualified electrician to replace it.

Maintenance is preservation:
 A good preservation of the fixture is highly dependent on environmental factors and maintenance. We cannot exercise any influence on this.

- Make sure that the mains voltage is switched off before you begin.
- Do not use strong, chemicals or abrasive cleaners.

"No rights can be derived from the information provided on this Instruction Manual. Information on the Instruction Manual has been compiled with the utmost care and is updated on a continuous basis. Nevertheless Maretti cannot guarantee that all information is free of errors, complete or fully up to date."